



BYRON GREEN LIGHTS

LED GARDEN & ARCHITECTURAL LIGHTING

TECHNICAL SPEC SHEETS 2010


Flute Garden Lights

Light This Light That LED Garden Light

316 Marine Grade Stainless Steel
Extremely low voltage




'pearl' face



Model shown:
LT21 with 2 earth spikes



Specifications:

- Materials:** Casing is made from Marine Grade 316 Stainless Steel in matt finish.
Face and Back 'Pearl' is made from weatherproof premium quality acrylic
- Power Source:** Low Voltage 12 V DC input (regulated)
- Weatherproof Rating:** IP 68
- Mounting:** Earth Spike(s)
- Pre wired:** Rear entry 900mm (length) weatherproof cable (20 gauge)
- Warranty:** 2 years
- Cabling:** Light This Light That Weatherproof harness (18 gauge) with screw in plugs, or similar
- LED type:** State of art:  **NICHIA**:5mm
- LED Colours:** Moonlight, Warm White and Lush. Other custom order colours available.

Features:

- Australian Owned
- Australian Made
- Extremely Low Voltage
- 12 volt, not dangerous
- Up to 50,000 hours life
- Directional light efficiency
- Ambient light
- Solid state technology
- No fragile glass environment
- Non corrosive materials
- Ideal for coastal environments
- No Maintenance
- No globes to maintain
- No Ultraviolet radiation
- No Infrared radiation
- No UV to attract insects
- Cool to touch
- Doesn't burn plants
- Doesn't breakdown materials
- No Mercury
- Easy installation, easy to move
- Portable
- Choice of sizes
- Weatherproof IP 68
- 2 year replacement warranty

The Light This Light That Stainless Steel range is available in 6 sizes. Your Light This Light That LED Garden light is IP68 rated, which means it can be installed outdoors, under water, in your pond or water feature.

This light system contains non replaceable parts. Do not attempt to force open the light.

model	dimensions				mount spikes (units)	light source #5mm led	current mA (max)
	length (A)	length (b)	width (c)	length (d)			
LT1	40mm	40mm	10mm	120mm	1	1	20
LT3	32mm	50mm	25mm	150mm	1	3	20
LT6	39mm	60mm	32mm	170mm	1	6	40
LT12	45mm	70mm	38mm	170mm	1	12	80
LT21	66mm	100mm	50mm	180mm	2	21	140
LT30	67mm	110mm	63mm	180mm	2	30	200

Note: 1 Amp = 1000 milliamps (mA).

Disclaimer: Consistant with our product developemnt policy, improvements may be made which render the contents of this document different to that shown. While every care has been taken with the details on this specification sheet, Light This Light That Pty Ltd accepts no responsibility for any inaccuracies and reserves the right to change the specifications without incurring obligation. Light This Light That Pty Ltd reserves the right to change specifications without notice.

Australian Owned & Australian Made

 **light this light that**
led garden lights
consultants : installers : manufacturers

DISTRIBUTOR:

BYRON  GREEN LIGHTS

Jason Hutchinson

T: (02) 6680 1507

M: 0422 267 313


E: jason@byrongreenlights.com.au

Light This Light That LED Garden Light

Solid Copper
Extremely low voltage



'chocolate' face



Model shown:
LT21 with 2 Solid Copper
mounting spikes

The Light This Light That Copper range is available in 6 sizes. Your Light This Light That LED Garden light is IP68 rated, which means it can be installed outdoors, under water, in your pond or water feature.

This light system contains non replaceable parts. Do not attempt to force open the light.

model	dimensions				mount spikes (units)	light source #5mm led	current mA (max)
	length (A)	length (b)	width (c)	length (d)			
LT1	40mm	40mm	10mm	120mm	1	1	20
LT3	32mm	50mm	25mm	150mm	1	3	20
LT6	39mm	60mm	32mm	170mm	1	6	40
LT12	45mm	70mm	38mm	170mm	1	12	80
LT21	66mm	100mm	50mm	180mm	2	21	140
LT30	67mm	110mm	63mm	180mm	2	30	200

Note: 1 Amp = 1000 milliamps (mA).

Disclaimer: Consistant with our product developemnt policy, improvements may be made which render the contents of this document different to that shown. While every care has been taken with the details on this specification sheet, Light This Light That Pty Ltd accepts no responsibility for any inaccuracies and reserves the right to change the specifications without incurring obligation. Light This Light That Pty Ltd reserves the right to change specifications without notice.

Copper:

Solid copper will age individually overtime to a verdigris finish. A bluish-green coating usually of carbonate of copper that forms on copper, brass or bronze when exposed to air for long periods of time. Colour can change towards a red-brown depending on the chemistry of the environment the copper is exposed to.

Specifications:

Materials: Casing is made from solid Copper in matt finish.

Face and Back 'Chocolate' is made from weatherproof premium quality acrylic acrylic

Power Source: Low Voltage 12 V DC input (regulated)

Weatherproof Rating: IP 68

Mounting: Solid Copper Earth Spike(s)

Pre wired: Rear entry 900mm (length) weatherproof cable (20 gauge)

Warranty: 2 years

Cabling: Light This Light That Weatherproof harness (18 gauge) with screw in plugs, or similar

LED type: State of art:  :5mm

LED Colours: Moonlight, Warm White and Lush. Other custom order colours available.

Features:

- Australian Owned
- Australian Made
- Extremely Low Voltage
- 12 volt, not dangerous
- Up to 50,000 hours life
- Directional light efficiency
- Ambient light
- Solid state technology
- No fragile glass environment
- Non corrosive materials
- Ideal for coastal environments
- No Maintenance
- No globes to maintain
- No Ultraviolet radiation
- No Infrared radiation
- No UV to attract insects
- Cool to touch
- Doesn't burn plants
- Doesn't breakdown materials
- No Mercury
- Easy installation, easy to move
- Portable
- Choice of sizes
- Weatherproof IP 68
- 2 year replacement warranty

Australian Owned & Australian Made

 Light this light that
led garden lights
consultants : installers : manufacturers

DISTRIBUTOR:

BYRON GREEN LIGHTS

Jason Hutchinson

T: (02) 6680 1507

M: 0422 267 313

E: jason@byrongreenlights.com.au